

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Report Date: 06/30/2020

Test RFID: 1A401030000F105000004730

Client Name:
 Epic Family Farms

License No:
 020-10041847FC2

Date Sampled: 06/24/2020
Sampled by: Wendy Wen
Sample Name: Kimbo Kush (Buds)
Sample Type: Usable Marijuana
Harvest Time: 10/12/2019
Sample Weight: 5.38 g

Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result:
 Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.

Summary of Test Results

Items	Value	Pass/Fail
Total THC:	18.2%	N/A
Total CBD:	0.4%	N/A
Water Activity:	0.478 at 29.7 °C	Pass
Moisture Content:	10.0%	Pass
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 06/25/2020

Batch ID: MC062520

Analyte	Result
Water	10.0%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 06/27/2020

Batch ID: WA062720

Analyte	Result	Temperature
Water Activity	0.478	29.7 °C

Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 06/25/2020

Batch ID: PO062520

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	<LOQ	0.1
CBG	< LOQ	0.1
CBDA	0.4	0.1
CBN	<LOQ	0.1
Delta-9 THC	1.8	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	18.7	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	18.2	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	0.4	N/A
Total Cannabinoids:	20.9	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 06/26/2020

Batch ID PE062620

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Quality Control Results

Potency Analysis

Test Method: SOP-002

Blank: MBLK-PO062520		Date analyzed: 06/25/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO062520		Date analyzed: 06/25/2020
Analyte	% Recovery	% Recovery Criteria
THCV	89	70-130
CBD	88	70-130
CBG	109	70-130
CBDA	106	70-130
CBN	105	70-130
Delta-9 THC	101	70-130
Delta-8 THC	99	70-130
CBC	83	70-130
THCA	106	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Quality Control Results

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE062620		Date analyzed: 06/26/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
 Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Test RFID: 1A401030000F105000004730

LCS: LCS-PE062620		Date analyzed: 06/26/2020		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	83	10-190	0.25	0.5
Acephate	121	30-170	0.20	0.4
Acequinocyl	128	10-190	1.00	2.0
Acetamiprid	122	30-170	0.10	0.2
Aldicarb	103	30-170	0.20	0.4
Azoxystrobin	102	30-170	0.10	0.2
Bifenazate	91	10-190	0.10	0.2
Bifenthrin	81	30-170	0.10	0.2
Boscalid	106	30-170	0.20	0.4
Carbaryl	88	30-170	0.10	0.2
Carbofuran	90	30-170	0.10	0.2
Chloranthraniliprole	113	30-170	0.10	0.2
Chlorfenapyr	73	10-190	1.00	1.0
Chlorpyrifos	85	30-170	0.10	0.2
Clofentezine	84	30-170	0.10	0.2
Cyfluthrin	97	30-170	0.50	1.0
Cypermethrin	115	30-170	0.50	1.0
Daminozide	137	30-170	0.50	1.0
DDVP (Dichlorvos)	115	30-170	0.50	1.0
Diazinon	85	30-170	0.10	0.2
Dimethoate	94	30-170	0.10	0.2
Ethoprophos	127	30-170	0.10	0.2
Etofenprox	88	30-170	0.20	0.4
Etoxazole	90	30-170	0.10	0.2
Fenoxycarb	96	30-170	0.10	0.2
Fenpyroximate	72	30-170	0.20	0.4
Fipronil	113	10-190	0.20	0.4
Fonicamid	93	10-190	0.50	1.0
Fludioxonil	87	10-190	0.20	0.4
Hexythiazox	112	30-170	0.50	1.0
Imazalil	83	30-170	0.10	0.2
Imidacloprid	110	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Testing for Compliance

Sample ID: EFF4730
 Report ID: TR-EFF4730

Report Date: 06/30/2020

Source RFID: 1A401030000F105000004055

Test RFID: 1A401030000F105000004730

Kresoxim-Methyl	82	30-170	0.20	0.4
Malathion	85	30-170	0.10	0.2
Metalaxyl	95	30-170	0.10	0.2
Methiocarb	85	30-170	0.10	0.2
Methomyl	113	30-170	0.20	0.4
Methyl Parathion	85	10-190	0.20	0.2
MGK-264	110	10-190	0.10	0.2
Myclobutanil	134	30-170	0.10	0.2
NALED (Dibrom)	84	30-170	0.25	0.5
Oxamyl	60	10-190	0.50	1.0
Paclobutrazol	129	30-170	0.20	0.4
Permethrins	103	30-170	0.10	0.2
Phosmet	80	30-170	0.10	0.2
Piperonyl Butoxide	98	30-170	1.00	2.0
Prallethrin	86	30-170	0.10	0.2
Propiconazole	90	30-170	0.20	0.4
Propoxur	99	30-170	0.10	0.2
Pyrethrin	122	30-170	0.50	1.0
Pyridaben	91	30-170	0.10	0.2
Spinosad	137	10-190	0.10	0.2
Spiromesifen	74	30-170	0.10	0.2
Spirotetramat	117	30-170	0.10	0.2
Spiroxamine	100	30-170	0.20	0.4
Tebuconazole	105	30-170	0.20	0.4
Thiacloprid	127	30-170	0.10	0.2
Thiamethoxam	75	30-170	0.10	0.2
Trifloxystrobin	91	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4730
Report ID: TR-EFF4730

Testing for Compliance

Report Date: 06/30/2020

Test RFID: 1A401030000F105000004730

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

Deviation occurred in test? Answer: No	Opinion and interpretation provided? Answer: No
--	---

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature: 

Date: 30JUN2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.