

**Certificate of Analysis**

**Testing for Compliance**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Report Date: 04/20/2020

Test RFID: 1A401030000F105000004266

**Client Name:**  
 Epic Family Farms

**License No:**  
 020-10041847FC2

**Date Sampled:** 04/15/2020  
**Sampled by:** Yujing Wen  
**Sample Name:** Cherrygasm (Buds)  
**Sample Type:** Usable marijuana  
**Harvest Time:** 10/23/2019  
**Sample Weight:** 9.95 g

**Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result:**  
 Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.

**Summary of Test Results**

Items	Value	Pass/Fail
<b>Total THC:</b>	14.0%	N/A
<b>Total CBD:</b>	< LOQ	N/A
<b>Water Activity:</b>	0.460 at 20.3 °C	Pass
<b>Moisture Content:</b>	9.9%	Pass
<b>Pesticides:</b>	< LOQ	Pass

*State limit for water activity is 0.65 and 15% for moisture content.*

*LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.*

# Certificate of Analysis

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Testing for Compliance

Report Date: 04/20/2020

Test RFID: 1A401030000F105000004266

## Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 04/17/2020

Batch ID: MC041720

Analyte	Result
Water	9.9%

## Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 04/16/2020

Batch ID: WA041620

Analyte	Result	Temperature
Water Activity	0.460	20.3 °C

## Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 04/16/2020

Batch ID: PO041620

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	0.2	0.1
Delta-9 THC	2.5	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	13.1	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	14.0	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	15.8	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Testing for Compliance

Report Date: 04/20/2020

Source RFID: 1A401030000F105000003268

Test RFID: 1A401030000F105000004266

**Pesticide Analysis (Unit: ppm)**

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 04/16/2020

Batch ID PE041620

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

**Testing for Compliance**

Report Date: 04/20/2020

Source RFID: 1A401030000F105000003268

Test RFID: 1A401030000F105000004266

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Quality Control Results

Potency Analysis

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO041620		Date analyzed: 04/16/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO041620		Date analyzed: 04/16/2020
Analyte	% Recovery	% Recovery Criteria
THCV	102	70-130
CBD	100	70-130
CBG	109	70-130
CBDA	109	70-130
CBN	98	70-130
Delta-9 THC	93	70-130
Delta-8 THC	85	70-130
CBC	93	70-130
THCA	99	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Testing for Compliance

Report Date: 04/20/2020

Test RFID: 1A401030000F105000004266

**Quality Control Results**

**Pesticide Analysis (Unit: ppm)**

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE041620		Date analyzed: 04/16/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

**Testing for Compliance**

Report Date: 04/20/2020

Source RFID: 1A401030000F105000003268

Test RFID: 1A401030000F105000004266

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Report Date: 04/20/2020

Source RFID: 1A401030000F105000003268

Test RFID: 1A401030000F105000004266

LCS: LCS-PE041620		Date analyzed: 04/16/2020		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	72	10-190	0.25	0.5
Acephate	72	30-170	0.20	0.4
Acequinocyl	90	10-190	1.00	2.0
Acetamiprid	125	30-170	0.10	0.2
Aldicarb	59	30-170	0.20	0.4
Azoxystrobin	57	30-170	0.10	0.2
Bifenazate	115	10-190	0.10	0.2
Bifenthrin	108	30-170	0.10	0.2
Boscalid	115	30-170	0.20	0.4
Carbaryl	70	30-170	0.10	0.2
Carbofuran	86	30-170	0.10	0.2
Chloranthraniliprole	62	30-170	0.10	0.2
Chlorfenapyr	128	10-190	1.00	1.0
Chlorpyrifos	132	30-170	0.10	0.2
Clofentezine	73	30-170	0.10	0.2
Cyfluthrin	157	30-170	0.50	1.0
Cypermethrin	97	30-170	0.50	1.0
Daminozide	72	30-170	0.50	1.0
DDVP (Dichlorvos)	73	30-170	0.50	1.0
Diazinon	76	30-170	0.10	0.2
Dimethoate	86	30-170	0.10	0.2
Ethoprophos	82	30-170	0.10	0.2
Etofenprox	42	30-170	0.20	0.4
Etoxazole	156	30-170	0.10	0.2
Fenoxycarb	114	30-170	0.10	0.2
Fenpyroximate	67	30-170	0.20	0.4
Fipronil	68	10-190	0.20	0.4
Fonicamid	101	10-190	0.50	1.0
Fludioxonil	100	10-190	0.20	0.4
Hexythiazox	131	30-170	0.50	1.0
Imazalil	109	30-170	0.10	0.2
Imidacloprid	106	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.



**Certificate of Analysis**

**Testing for Compliance**

Sample ID: EFF4266  
 Report ID: TR-EFF4266

Report Date: 04/20/2020

Source RFID: 1A401030000F105000003268

Test RFID: 1A401030000F105000004266

Kresoxim-Methyl	52	30-170	0.20	0.4
Malathion	61	30-170	0.10	0.2
Metalaxyl	126	30-170	0.10	0.2
Methiocarb	76	30-170	0.10	0.2
Methomyl	75	30-170	0.20	0.4
Methyl_Parathion	76	10-190	0.20	0.2
MGK-264	159	10-190	0.10	0.2
Myclobutanil	84	30-170	0.10	0.2
NALED (Dibrom)	94	30-170	0.25	0.5
Oxamyl	62	10-190	0.50	1.0
Paclobutrazol	118	30-170	0.20	0.4
Permethrins	139	30-170	0.10	0.2
Phosmet	100	30-170	0.10	0.2
Piperonyl_Butoxide	61	30-170	1.00	2.0
Prallethrin	96	30-170	0.10	0.2
Propiconazole	130	30-170	0.20	0.4
Propoxur	96	30-170	0.10	0.2
Pyrethrin	82	30-170	0.50	1.0
Pyridaben	102	30-170	0.10	0.2
Spinosad	98	10-190	0.10	0.2
Spiromesifen	56	30-170	0.10	0.2
Spirotetramat	104	30-170	0.10	0.2
Spiroxamine	109	30-170	0.20	0.4
Tebuconazole	140	30-170	0.20	0.4
Thiacloprid	95	30-170	0.10	0.2
Thiamethoxam	85	30-170	0.10	0.2
Trifloxystrobin	35	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF4266  
Report ID: TR-EFF4266

Testing for Compliance

Report Date: 04/20/2020

Test RFID: 1A401030000F105000004266

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

<u>Deviation occurred in test?</u> <b>Answer:</b> No	<u>Opinion and interpretation provided?</u> <b>Answer:</b> No
--	---

**Comments:** "N/A" if there is no comment made  
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

20Apr2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.