

Certificate of Analysis

Testing for Compliance

Sample ID: EFF6020
 Report ID: TR-EFF6020

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Client Name:
 Epic Family Farms

License No:
 020-10041847FC2

<p>Date Sampled: 01/25/2021</p> <p>Sampled by: Wendy Wen</p> <p>Sample Name: Tangelo (Buds)</p> <p>Sample Type: Usable marijuana</p> <p>Harvest Time: 10/21/2020</p> <p>Sample Weight: 35.55 g</p>	<p>Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result:</p> <p>Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.</p>
--	---

Summary of Test Results

Items	Value	Pass/Fail
Total THC:	21.4%	N/A
Total CBD:	< LOQ	N/A
Water Activity:	0.537 at 22.9 °C	Pass
Moisture Content:	10.5%	Pass
Pesticides:	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020
 Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 01/26/2021
 Batch ID: MC012621

Analyte	Result
Water	10.5%

Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 01/26/2021
 Batch ID: WA012621

Analyte	Result	Temperature
Water Activity	0.537	22.9 °C

Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 01/26/2021
 Batch ID: PO012621

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	1.3	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	22.9	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	21.4	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	24.2	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020
 Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Pesticides Analysis (Unit: ppm)

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 01/26/2021
 Batch ID: PE012621

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020

Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Quality Control Results

Potency Analysis

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO012621		Date analyzed: 01/26/2021
Analyte	Result, %	LOQ, %
CBD	< LOQ	0.1
CBDA	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO012621		Date analyzed: 01/26/2021
Analyte	% Recovery	% Recovery Criteria
CBD	99	70-130
CBDA	102	70-130
Delta-9 THC	99	70-130
THCA	96	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020
 Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Quality Control Results

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE012621		Date analyzed: 01/26/2021	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020

Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020
 Report ID: TR-EFF6020

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

LCS: LCS-PE012621		Date analyzed: 01/26/2021		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	134	10-190	0.25	0.5
Acephate	105	30-170	0.20	0.4
Acequinocyl	86	10-190	1.00	2.0
Acetamiprid	102	30-170	0.10	0.2
Aldicarb	120	30-170	0.20	0.4
Azoxystrobin	79	30-170	0.10	0.2
Bifenazate	82	10-190	0.10	0.2
Bifenthrin	120	30-170	0.10	0.2
Boscalid	107	30-170	0.20	0.4
Carbaryl	76	30-170	0.10	0.2
Carbofuran	83	30-170	0.10	0.2
Chloranthraniliprole	82	30-170	0.10	0.2
Chlorfenapyr	122	10-190	1.00	1.0
Chlorpyrifos	71	30-170	0.10	0.2
Clofentezine	113	30-170	0.10	0.2
Cyfluthrin	100	30-170	0.50	1.0
Cypermethrin	111	30-170	0.50	1.0
Daminozide	126	30-170	0.50	1.0
DDVP (Dichlorvos)	92	30-170	0.50	1.0
Diazinon	63	30-170	0.10	0.2
Dimethoate	91	30-170	0.10	0.2
Ethoprophos	55	30-170	0.10	0.2
Etofenprox	53	30-170	0.20	0.4
Etoxazole	56	30-170	0.10	0.2
Fenoxycarb	82	30-170	0.10	0.2
Fenpyroximate	55	30-170	0.20	0.4
Fipronil	87	10-190	0.20	0.4
Flonicamid	99	10-190	0.50	1.0
Fludioxonil	67	10-190	0.20	0.4
Hexythiazox	71	30-170	0.50	1.0
Imazalil	76	30-170	0.10	0.2
Imidacloprid	82	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Testing for Compliance

Sample ID: EFF6020

Report ID: TR-EFF6020

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Kresoxim-Methyl	62	30-170	0.20	0.4
Malathion	82	30-170	0.10	0.2
Metalaxyl	66	30-170	0.10	0.2
Methiocarb	67	30-170	0.10	0.2
Methomyl	105	30-170	0.20	0.4
Methyl Parathion	67	10-190	0.20	0.2
MGK-264	74	10-190	0.10	0.2
Myclobutanil	98	30-170	0.10	0.2
NALED (Dibrom)	129	30-170	0.25	0.5
Oxamyl	124	10-190	0.50	1.0
Paclobutrazol	66	30-170	0.20	0.4
Permethrins	79	30-170	0.10	0.2
Phosmet	83	30-170	0.10	0.2
Piperonyl Butoxide	44	30-170	1.00	2.0
Prallethrin	95	30-170	0.10	0.2
Propiconazole	94	30-170	0.20	0.4
Propoxur	87	30-170	0.10	0.2
Pyrethrin	90	30-170	0.50	1.0
Pyridaben	72	30-170	0.10	0.2
Spinosad	130	10-190	0.10	0.2
Spiromesifen	62	30-170	0.10	0.2
Spirotetramat	100	30-170	0.10	0.2
Spiroxamine	81	30-170	0.20	0.4
Tebuconazole	82	30-170	0.20	0.4
Thiacloprid	86	30-170	0.10	0.2
Thiamethoxam	105	30-170	0.10	0.2
Trifloxystrobin	51	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.

These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6020
Report ID: TR-EFF6020

Testing for Compliance

Report Date: 02/01/2021

Test RFID: 1A401030000F105000006020

Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

Deviation occurred in test? Answer: No	Opinion and interpretation provided? Answer: No
--	---

Comments: "N/A" if there is no comment made
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature: 

Date: 01Feb2021

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.