

**Client Name:**  
 Epic Family Farms

**License No:**  
 020-10041847FC2

**Date Sampled:** 01/02/2020  
**Sampled by:** Shuguo Ma  
**Sample Name:** Blueberry Cupcake (Buds)  
**Sample Type:** Usable Marijuana  
**Harvest Time:** 10/19/2019  
**Sample Weight:** 27.54 g

**Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result:**  
 Dry usable marijuana. Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.

**Summary of Test Results**

Items	Value	Pass/Fail
<b>Total THC:</b>	23.9%	N/A
<b>Total CBD:</b>	< LOQ	N/A
<b>Water Activity:</b>	0.472 at 18.5 °C	Pass
<b>Moisture Content:</b>	10.3%	Pass
<b>Pesticides:</b>	< LOQ	Pass
<b>Total Terpene</b>	2.68%	N/A

State limit is 0.65 for water activity and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Moisture Content Analysis**

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 01/04/2020  
 Batch ID: MC010420

Analyte	Result
Water	10.3%

**Water Activity Analysis**

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 01/03/2020  
 Batch ID: WA010320

Analyte	Result	Temperature
Water Activity	0.472	18.5 °C

**Potency Analysis**

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 01/03/2020  
 Batch ID: PO010320

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	27.2	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	23.9	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	27.2	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF3640  
 Report ID: TR-EFF3640

Testing for Compliance

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

**Pesticide Analysis (Unit: ppm)**

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 01/04/2020

Batch ID PE010420

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

*Testing for Compliance*

Sample ID: EFF3640  
 Report ID: TR-EFF3640

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Terpene Analysis

Testing method: SOP-011 Analyzed by: Yujing Wen Analyzed date: 01/03/2020

Batch ID: TP010320

Analyte	Result, %	LOQ, %
<b>Monoterpenes</b>		
Alpha-Pinene	0.46	0.01
Camphene	< LOQ	0.01
Beta-Myrcene	0.62	0.01
Beta-Pinene	0.22	0.01
3-Carene	< LOQ	0.01
alpha-Terpinene	< LOQ	0.01
D-Limonene	0.13	0.01
P-Cymene	< LOQ	0.01
Ocimene	0.11	0.01
gamma-Terpinene	< LOQ	0.01
Terpinolene	0.06	0.01
Linalool	0.16	0.01
Isopulegol	< LOQ	0.01
Geraniol	< LOQ	0.01
<b>Sesquiterpenes</b>		
Beta-Caryophyllene	0.40	0.01
alpha-Humulene	0.20	0.01
Nerolidol	0.05	0.01
Guaiol	< LOQ	0.01
alpha-Bisabolol	0.26	0.01
<b>Total Terpenes</b>	2.68	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Quality Control Results**

**Potency Analysis**

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO010320		Date analyzed: 01/03/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO010320		Date analyzed: 01/03/2020
Analyte	% Recovery	% Recovery Criteria
THCV	113	70-130
CBD	99	70-130
CBG	109	70-130
CBDA	99	70-130
CBN	99	70-130
Delta-9 THC	90	70-130
Delta-8 THC	107	70-130
CBC	99	70-130
THCA	99	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Quality Control Results**

**Pesticide Analysis (Unit: ppm)**

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE010420		Date analyzed: 01/04/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Testing for Compliance

Sample ID: EFF3640  
 Report ID: TR-EFF3640

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.



**Certificate of Analysis**

Testing for Compliance

Sample ID: EFF3640  
 Report ID: TR-EFF3640

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

LCS: LCS-PE010420		Date analyzed: 01/04/2020		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	61	10-190	0.25	0.5
Acephate	122	30-170	0.20	0.4
Acequinocyl	83	10-190	1.00	2.0
Acetamiprid	99	30-170	0.10	0.2
Aldicarb	63	30-170	0.20	0.4
Azoxystrobin	91	30-170	0.10	0.2
Bifenazate	59	10-190	0.10	0.2
Bifenthrin	81	30-170	0.10	0.2
Boscalid	117	30-170	0.20	0.4
Carbaryl	104	30-170	0.10	0.2
Carbofuran	102	30-170	0.10	0.2
Chloranthraniliprole	108	30-170	0.10	0.2
Chlorfenapyr	70	10-190	1.00	1.0
Chlorpyrifos	107	30-170	0.10	0.2
Clofentezine	139	30-170	0.10	0.2
Cyfluthrin	69	30-170	0.50	1.0
Cypermethrin	78	30-170	0.50	1.0
Daminozide	104	30-170	0.50	1.0
DDVP (Dichlorvos)	75	30-170	0.50	1.0
Diazinon	94	30-170	0.10	0.2
Dimethoate	107	30-170	0.10	0.2
Ethoprophos	102	30-170	0.10	0.2
Etofenprox	102	30-170	0.20	0.4
Etoxazole	78	30-170	0.10	0.2
Fenoxycarb	93	30-170	0.10	0.2
Fenpyroximate	123	30-170	0.20	0.4
Fipronil	38	10-190	0.20	0.4
Fonicamid	32	10-190	0.50	1.0
Fludioxonil	74	10-190	0.20	0.4
Hexythiazox	149	30-170	0.50	1.0
Imazalil	82	30-170	0.10	0.2
Imidacloprid	94	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Testing for Compliance

Sample ID: EFF3640  
 Report ID: TR-EFF3640

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

Kresoxim-Methyl	77	30-170	0.20	0.4
Malathion	92	30-170	0.10	0.2
Metalaxyl	76	30-170	0.10	0.2
Methiocarb	101	30-170	0.10	0.2
Methomyl	69	30-170	0.20	0.4
Methyl_Parathion	107	10-190	0.20	0.2
MGK-264	100	10-190	0.10	0.2
Myclobutanil	108	30-170	0.10	0.2
NALED (Dibrom)	75	30-170	0.25	0.5
Oxamyl	127	10-190	0.50	1.0
Paclobutrazol	89	30-170	0.20	0.4
Permethrins	95	30-170	0.10	0.2
Phosmet	90	30-170	0.10	0.2
Piperonyl_Butoxide	81	30-170	1.00	2.0
Prallethrin	100	30-170	0.10	0.2
Propiconazole	93	30-170	0.20	0.4
Propoxur	96	30-170	0.10	0.2
Pyrethrin	88	30-170	0.50	1.0
Pyridaben	84	30-170	0.10	0.2
Spinosad	116	10-190	0.10	0.2
Spiromesifen	94	30-170	0.10	0.2
Spirotetramat	120	30-170	0.10	0.2
Spiroxamine	82	30-170	0.20	0.4
Tebuconazole	89	30-170	0.20	0.4
Thiacloprid	102	30-170	0.10	0.2
Thiamethoxam	133	30-170	0.10	0.2
Trifloxystrobin	119	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

# Certificate of Analysis

Testing for Compliance

Sample ID: EFF3640  
Report ID: TR-EFF3640

Report Date: 01/06/2020

Test RFID: 1A401030000F105000003640

**Attachments:**

**Note:** if answer is Yes for following items, statement is attached. Otherwise, no attachment.

Deviation occurred in test? <b>Answer:</b> No	Opinion and interpretation provided? <b>Answer:</b> No
---	--

**Comments:** "N/A" if there is no comment made  
N/A

*Shuguo Ma, Ph.D, Quality Manager*

Signature:



Date:

06Jan2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.