

**Certificate of Analysis**

Sample ID: EFF6414  
Report ID: TR-EFF6414

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

**Client Name:**  
Epic Family Farms

**License No:**  
020-10041847FC2

<p><b>Date Sampled:</b> 04/28/2021</p> <p><b>Sampled by:</b> Wendy Wen</p> <p><b>Sample Name:</b> Green Crack – Flower (Buds)</p> <p><b>Sample Type:</b> Usable marijuana</p> <p><b>Harvest Time:</b> 10/16/2020</p> <p><b>Sample Weight:</b> 25.78 g</p>	<p><b>Description of the sample, sampling condition.</b> <b>Environmental conditions that may impact interpretation of the test result:</b></p> <p>Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.</p>
---	--

**Summary of Test Results**

Items	Value	Pass/Fail
<b>Total THC:</b>	212.1 mg/g	N/A
<b>Total CBD:</b>	< LOQ	N/A
<b>Water Activity:</b>	0.471 at 24.1 °C	Pass
<b>Moisture Content:</b>	9.6%	Pass
<b>Pesticides:</b>	< LOQ	Pass

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

# Certificate of Analysis

Sample ID: EFF6414  
Report ID: TR-EFF6414

Testing for Compliance

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

## Moisture Content Analysis

Testing method: SOP-004      Analyzed by: Yujing Wen      Analyzed date: 04/30/2021  
Batch ID: MC043021

Analyte	Result
Water	9.6%

## Water Activity Analysis

Testing method: SOP-009      Analyzed by: Yujing Wen      Analyzed date: 04/29/2021  
Batch ID: WA042921

Analyte	Result	Temperature
Water Activity	0.471	24.1 °C

## Potency Analysis

Testing method: SOP-002      Analyzed by: Yujing Wen      Analyzed date: 04/29/2021  
Batch ID: PO042921

Analyte	Result, mg/g	LOQ, %
CBDA	< LOQ	0.1
CBD	< LOQ	0.1
CBG	1.3	0.1
CBN	< LOQ	0.1
Delta-9 THC	31.7	0.1
CBC	< LOQ	0.1
THCA	205.7	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	212.1	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	0.1
Total Cannabinoids:	238.7	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF6414  
Report ID: TR-EFF6414

Testing for Compliance

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

**Pesticides Analysis (Unit: ppm)**

Testing method: SOP-010    Analyzed by: Yujing Wen    Analyzed date: 04/29/2021  
Batch ID: PE042921

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF6414  
 Report ID: TR-EFF6414

**Testing for Compliance**

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Quality Control Results**

**Potency Analysis**

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO042921		Date analyzed: 04/29/2021
Analyte	Result, %	LOQ, %
CBD	< LOQ	0.1
CBDA	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO042921		Date analyzed: 04/29/2021
Analyte	% Recovery	% Recovery Criteria
CBD	87	70-130
CBDA	105	70-130
Delta-9 THC	115	70-130
THCA	96	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF6414  
Report ID: TR-EFF6414

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

Quality Control Results

Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE042921		Date analyzed: 04/29/2021	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF6414  
 Report ID: TR-EFF6414

**Testing for Compliance**

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF6414  
Report ID: TR-EFF6414

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

LCS: LCS-PE042921		Date analyzed: 04/29/2021		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	99	10-190	0.25	0.5
Acephate	87	30-170	0.20	0.4
Acequinocyl	97	10-190	1.00	2.0
Acetamiprid	107	30-170	0.10	0.2
Aldicarb	104	30-170	0.20	0.4
Azoxystrobin	58	30-170	0.10	0.2
Bifenazate	91	10-190	0.10	0.2
Bifenthrin	96	30-170	0.10	0.2
Boscalid	82	30-170	0.20	0.4
Carbaryl	127	30-170	0.10	0.2
Carbofuran	108	30-170	0.10	0.2
Chloranthraniliprole	78	30-170	0.10	0.2
Chlorfenapyr	84	10-190	1.00	1.0
Chlorpyrifos	118	30-170	0.10	0.2
Clofentezine	135	30-170	0.10	0.2
Cyfluthrin	92	30-170	0.50	1.0
Cypermethrin	114	30-170	0.50	1.0
Daminozide	94	30-170	0.50	1.0
DDVP (Dichlorvos)	74	30-170	0.50	1.0
Diazinon	102	30-170	0.10	0.2
Dimethoate	77	30-170	0.10	0.2
Ethoprophos	118	30-170	0.10	0.2
Etofenprox	84	30-170	0.20	0.4
Etoxazole	90	30-170	0.10	0.2
Fenoxycarb	81	30-170	0.10	0.2
Fenpyroximate	78	30-170	0.20	0.4
Fipronil	134	10-190	0.20	0.4
Flonicamid	83	10-190	0.50	1.0
Fludioxonil	121	10-190	0.20	0.4
Hexythiazox	106	30-170	0.50	1.0
Imazalil	127	30-170	0.10	0.2
Imidacloprid	61	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.



**Certificate of Analysis**

Sample ID: EFF6414  
Report ID: TR-EFF6414

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

Kresoxim-Methyl	99	30-170	0.20	0.4
Malathion	66	30-170	0.10	0.2
Metalaxyl	127	30-170	0.10	0.2
Methiocarb	102	30-170	0.10	0.2
Methomyl	110	30-170	0.20	0.4
Methyl Parathion	99	10-190	0.20	0.2
MGK-264	114	10-190	0.10	0.2
Myclobutanil	113	30-170	0.10	0.2
NALED (Dibrom)	73	30-170	0.25	0.5
Oxamyl	86	10-190	0.50	1.0
Paclobutrazol	119	30-170	0.20	0.4
Permethrins	86	30-170	0.10	0.2
Phosmet	121	30-170	0.10	0.2
Piperonyl Butoxide	52	30-170	1.00	2.0
Prallethrin	111	30-170	0.10	0.2
Propiconazole	128	30-170	0.20	0.4
Propoxur	84	30-170	0.10	0.2
Pyrethrin	84	30-170	0.50	1.0
Pyridaben	87	30-170	0.10	0.2
Spinosad	137	10-190	0.10	0.2
Spiromesifen	99	30-170	0.10	0.2
Spirotetramat	105	30-170	0.10	0.2
Spiroxamine	106	30-170	0.20	0.4
Tebuconazole	147	30-170	0.20	0.4
Thiacloprid	94	30-170	0.10	0.2
Thiamethoxam	103	30-170	0.10	0.2
Trifloxystrobin	96	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

# Certificate of Analysis

Sample ID: EFF6414  
Report ID: TR-EFF6414

Testing for Compliance

Report Date: 05/03/2021

Source RFID: 1A401030000F105000006416

Test RFID: 1A401030000F105000006414

**Attachments:**

**Note:** *if answer is Yes for following items, statement is attached. Otherwise, no attachment.*

Deviation occurred in test? <b>Answer:</b> No	Opinion and interpretation provided? <b>Answer:</b> No
---	--

**Comments:** "N/A" if there is no comment made  
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature:



Date:

03May2021

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.