

**Certificate of Analysis**

**Testing for Compliance**

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Report Date: 02/23/2020

Test RFID: 1A401030000F105000003960

**Client Name:**  
 Epic Family Farms

**License No:**  
 020-10041847FC2

**Date Sampled:** 02/19/2020  
**Sampled by:** Yujing Wen  
**Sample Name:** Agent Orange (Buds)  
**Sample Type:** Usable Marijuana  
**Harvest Time:** 10/8/2019  
**Sample Weight:** 35.37 g

**Description of the sample, sampling condition. Environmental conditions that may impact interpretation of the test result:**  
 Sample appeared normal. There were no any environmental conditions that may impact interpretation of the test result.

**Summary of Test Results**

Items	Value	Pass/Fail
<b>Total THC:</b>	23.3%	N/A
<b>Total CBD:</b>	< LOQ	N/A
<b>Water Activity:</b>	0.493 at 18.6 °C	Pass
<b>Moisture Content:</b>	10.9%	Pass
<b>Pesticides:</b>	< LOQ	Pass
<b>Total Terpene:</b>	2.62%	N/A

State limit for water activity is 0.65 and 15% for moisture content.

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

# Certificate of Analysis

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Test RFID: 1A401030000F105000003960

## Moisture Content Analysis

Testing method: SOP-004 Analyzed by: Yujing Wen Analyzed date: 02/22/2020

Batch ID: MC022220

Analyte	Result
Water	10.9%

## Water Activity Analysis

Testing method: SOP-009 Analyzed by: Yujing Wen Analyzed date: 02/20/2020

Batch ID: WA022020

Analyte	Result	Temperature
Water Activity	0.493	18.6 °C

## Potency Analysis

Testing method: SOP-002 Analyzed by: Yujing Wen Analyzed date: 02/20/2020

Batch ID: PO022020

Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	0.3	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	26.2	0.1
Total THC: $\Delta 9 + 0.877 \times \text{THCA}$	23.3	N/A
Total CBD: $\text{CBD} + 0.877 \times \text{CBDA}$	< LOQ	N/A
Total Cannabinoids:	26.5	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Source RFID: 1A401030000F105000003959

Test RFID: 1A401030000F105000003960

**Pesticide Analysis (Unit: ppm)**

Testing method: SOP-010 Analyzed by: Yujing Wen Analyzed date: 02/20/2020

Batch ID PE022020

Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4
Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Source RFID: 1A401030000F105000003959

Test RFID: 1A401030000F105000003960

Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Test RFID: 1A401030000F105000003960

Terpene Analysis

Testing method: SOP-011 Analyzed by: Yujing Wen Analyzed date: 02/20/2020

Batch ID: TP022020

Analyte	Result, %	LOQ, %
<b>Monoterpenes</b>		
Alpha-Pinene	0.03	0.01
Camphene	0.01	0.01
Beta-Myrcene	0.09	0.01
Beta-Pinene	0.05	0.01
3-Carene	< LOQ	0.01
alpha-Terpinene	< LOQ	0.01
D-Limonene	0.54	0.01
P-Cymene	< LOQ	0.01
Ocimene	0.46	0.01
gamma-Terpinene	< LOQ	0.01
Terpinolene	0.02	0.01
Linalool	0.01	0.01
Isopulegol	< LOQ	0.01
Geraniol	< LOQ	0.01
<b>Sesquiterpenes</b>		
Beta-Caryophyllene	0.72	0.01
alpha-Humulene	0.33	0.01
Nerolidol	0.06	0.01
Guaiol	0.12	0.01
alpha-Bisabolol	0.19	0.01
<b>Total Terpenes</b>	2.62	N/A

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Quality Control Results

Potency Analysis

Test Method: SOP-002 by LC/MS/MS

Blank: MBLK-PO022020		Date analyzed: 02/20/2020
Analyte	Result, %	LOQ, %
THCV	< LOQ	0.1
CBD	< LOQ	0.1
CBG	< LOQ	0.1
CBDA	< LOQ	0.1
CBN	< LOQ	0.1
Delta-9 THC	< LOQ	0.1
Delta-8 THC	< LOQ	0.1
CBC	< LOQ	0.1
THCA	< LOQ	0.1

LCS: LCS- PO022020		Date analyzed: 02/20/2020
Analyte	% Recovery	% Recovery Criteria
THCV	100	70-130
CBD	101	70-130
CBG	108	70-130
CBDA	92	70-130
CBN	97	70-130
Delta-9 THC	104	70-130
Delta-8 THC	103	70-130
CBC	107	70-130
THCA	116	70-130

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

# Certificate of Analysis

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Test RFID: 1A401030000F105000003960

## Quality Control Results

### Pesticide Analysis (Unit: ppm)

Testing method: SOP-010 by LC/MS/MS

Blank: MBLK-PE022020		Date analyzed: 02/20/2020	
Analyte	Result	LOQ	State Action Level
Abamectin	< LOQ	0.25	0.5
Acephate	< LOQ	0.20	0.4
Acequinocyl	< LOQ	1.00	2.0
Acetamiprid	< LOQ	0.10	0.2
Aldicarb	< LOQ	0.20	0.4
Azoxystrobin	< LOQ	0.10	0.2
Bifenazate	< LOQ	0.10	0.2
Bifenthrin	< LOQ	0.10	0.2
Boscalid	< LOQ	0.20	0.4
Carbaryl	< LOQ	0.10	0.2
Carbofuran	< LOQ	0.10	0.2
Chloranthraniliprole	< LOQ	0.10	0.2
Chlorfenapyr	< LOQ	1.00	1.0
Chlorpyrifos	< LOQ	0.10	0.2
Clofentezine	< LOQ	0.10	0.2
Cyfluthrin	< LOQ	0.50	1.0
Cypermethrin	< LOQ	0.50	1.0
Daminozide	< LOQ	0.50	1.0
DDVP (Dichlorvos)	< LOQ	0.50	1.0
Diazinon	< LOQ	0.10	0.2
Dimethoate	< LOQ	0.10	0.2
Ethoprophos	< LOQ	0.10	0.2
Etofenprox	< LOQ	0.20	0.4
Etoxazole	< LOQ	0.10	0.2
Fenoxycarb	< LOQ	0.10	0.2
Fenpyroximate	< LOQ	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

Sample ID: EFF3960  
 Report ID: TR-EFF3960

**Testing for Compliance**

Report Date: 02/23/2020

Source RFID: 1A401030000F105000003959

Test RFID: 1A401030000F105000003960

Fipronil	< LOQ	0.20	0.4
Flonicamid	< LOQ	0.50	1.0
Fludioxonil	< LOQ	0.20	0.4
Hexythiazox	< LOQ	0.50	1.0
Imazalil	< LOQ	0.10	0.2
Imidacloprid	< LOQ	0.20	0.4
Kresoxim-Methyl	< LOQ	0.20	0.4
Malathion	< LOQ	0.10	0.2
Metalaxyl	< LOQ	0.10	0.2
Methiocarb	< LOQ	0.10	0.2
Methomyl	< LOQ	0.20	0.4
Methyl_Parathion	< LOQ	0.20	0.2
MGK-264	< LOQ	0.10	0.2
Myclobutanil	< LOQ	0.10	0.2
NALED (Dibrom)	< LOQ	0.25	0.5
Oxamyl	< LOQ	0.50	1.0
Paclobutrazol	< LOQ	0.20	0.4
Permethrins	< LOQ	0.10	0.2
Phosmet	< LOQ	0.10	0.2
Piperonyl_Butoxide	< LOQ	1.00	2.0
Prallethrin	< LOQ	0.10	0.2
Propiconazole	< LOQ	0.20	0.4
Propoxur	< LOQ	0.10	0.2
Pyrethrin	< LOQ	0.50	1.0
Pyridaben	< LOQ	0.10	0.2
Spinosad	< LOQ	0.10	0.2
Spiromesifen	< LOQ	0.10	0.2
Spirotetramat	< LOQ	0.10	0.2
Spiroxamine	< LOQ	0.20	0.4
Tebuconazole	< LOQ	0.20	0.4
Thiacloprid	< LOQ	0.10	0.2
Thiamethoxam	< LOQ	0.10	0.2
Trifloxystrobin	< LOQ	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.



**Certificate of Analysis**

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Source RFID: 1A401030000F105000003959

Test RFID: 1A401030000F105000003960

LCS: LCS-PE022020		Date analyzed: 02/20/2020		
Analyte	% Recovery	% Recovery Criteria	LOQ	State Action Level
Abamectin	41	10-190	0.25	0.5
Acephate	158	30-170	0.20	0.4
Acequinocyl	90	10-190	1.00	2.0
Acetamidrid	93	30-170	0.10	0.2
Aldicarb	101	30-170	0.20	0.4
Azoxystrobin	95	30-170	0.10	0.2
Bifenazate	37	10-190	0.10	0.2
Bifenthrin	101	30-170	0.10	0.2
Boscalid	113	30-170	0.20	0.4
Carbaryl	102	30-170	0.10	0.2
Carbofuran	103	30-170	0.10	0.2
Chloranthraniliprole	117	30-170	0.10	0.2
Chlorfenapyr	89	10-190	1.00	1.0
Chlorpyrifos	94	30-170	0.10	0.2
Clofentezine	130	30-170	0.10	0.2
Cyfluthrin	81	30-170	0.50	1.0
Cypermethrin	92	30-170	0.50	1.0
Daminozide	114	30-170	0.50	1.0
DDVP (Dichlorvos)	104	30-170	0.50	1.0
Diazinon	105	30-170	0.10	0.2
Dimethoate	115	30-170	0.10	0.2
Ethoprophos	107	30-170	0.10	0.2
Etofenprox	120	30-170	0.20	0.4
Etoxazole	74	30-170	0.10	0.2
Fenoxycarb	90	30-170	0.10	0.2
Fenpyroximate	141	30-170	0.20	0.4
Fipronil	40	10-190	0.20	0.4
Fonicamid	35	10-190	0.50	1.0
Fludioxonil	100	10-190	0.20	0.4
Hexythiazox	120	30-170	0.50	1.0
Imazalil	93	30-170	0.10	0.2
Imidacloprid	91	30-170	0.20	0.4

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

**Certificate of Analysis**

**Testing for Compliance**

Sample ID: EFF3960  
 Report ID: TR-EFF3960

Report Date: 02/23/2020

Source RFID: 1A401030000F105000003959

Test RFID: 1A401030000F105000003960

Kresoxim-Methyl	89	30-170	0.20	0.4
Malathion	106	30-170	0.10	0.2
Metalaxyl	80	30-170	0.10	0.2
Methiocarb	105	30-170	0.10	0.2
Methomyl	79	30-170	0.20	0.4
Methyl_Parathion	104	10-190	0.20	0.2
MGK-264	78	10-190	0.10	0.2
Myclobutanil	112	30-170	0.10	0.2
NALED (Dibrom)	66	30-170	0.25	0.5
Oxamyl	31	10-190	0.50	1.0
Paclobutrazol	82	30-170	0.20	0.4
Permethrins	126	30-170	0.10	0.2
Phosmet	73	30-170	0.10	0.2
Piperonyl_Butoxide	105	30-170	1.00	2.0
Prallethrin	102	30-170	0.10	0.2
Propiconazole	88	30-170	0.20	0.4
Propoxur	106	30-170	0.10	0.2
Pyrethrin	79	30-170	0.50	1.0
Pyridaben	84	30-170	0.10	0.2
Spinosad	132	10-190	0.10	0.2
Spiromesifen	113	30-170	0.10	0.2
Spirotetramat	139	30-170	0.10	0.2
Spiroxamine	98	30-170	0.20	0.4
Tebuconazole	77	30-170	0.20	0.4
Thiacloprid	86	30-170	0.10	0.2
Thiamethoxam	145	30-170	0.10	0.2
Trifloxystrobin	130	30-170	0.10	0.2

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable.  
 These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.

Certificate of Analysis

Sample ID: EFF3960  
Report ID: TR-EFF3960

Testing for Compliance

Report Date: 02/23/2020

Test RFID: 1A401030000F105000003960


Attachments:

Note: if answer is Yes for following items, statement is attached. Otherwise, no attachment.

Deviation occurred in test? Answer: No	Opinion and interpretation provided? Answer: No
--	---

Comments: "N/A" if there is no comment made  
N/A

Shuguo Ma, Ph.D, Quality Manager

Signature: 

Date: 23Feb2020

LOQ: the limit of quantitation, which is the lowest amount of analyte in a sample that can be quantitatively determined by an analytical method with a suitable precision and accuracy. N/A: not applicable. These results are specific to the sample included in this report. The report may not be reproduced except in full, with written approval from MW Labs.